

RECORD OF PROCEEDINGS

Minutes of

Meeting

GOVERNMENT FORMS & SUPPLIES 944-224-3938 FORM NO. 10148

Held

REGULAR MEETING

20

February 7, 2023

Meeting called to order at 7:00 p.m.

ROLL CALL:

Middleton, Hildebrand, Gariety, Everman, Brown, and Hackler present.. Mayor Adkins presiding.

MINUTES:

Motion by Gariety, 2nd by Brown to approve minutes for January 17, 2023. All Yea.

AGENDA:

Motion by Brown, 2nd by Everman to approve agenda. All yea.
Bills Approved.

GUESTS:

Ed and Shelba Kelly

Tonya Besecker – concerns with railroad crossing being blocked.

Darrel Riffle and Mike Henderson: Whistle Stop wants to put a handicap ramp on Main Street; would like to move the utility shed to the west and then build another cooler in the existing spot

Angie Barnes and Charity Barnes: trash still an issue down at the apartments.

FINANCE DIRECTOR: January report given to Council for approval. Motion by Gariety, 2nd by Middleton to approve reports All yea.

POLICE: Last Monday there was a no-knock warrant on Cross Street by Sheriff.

Have received complaint from unnamed citizen concerning drug use on cross street.

There was an individual in Caseys stating they were going to rob them but then left

FIRE: Update on calls for the month. State Grant turned in for Small Equipment. Cooper Family Foundation grant has been submitted. Looking at funding for new building. New truck is waiting on new valves and then should be completed. Parades: All request must come from the school.

MAYORS REPORTS: None

COMMITTEE: None

VILLAGE ADMINISTRATOR:

1. Updated quotes for water tower lot.
2. Ohio EPA \$10,000 Grant for a line locator
3. Water Tower Inspection on 01/17. Waiting on paint sample test results.
4. EPA inspection for water on 02/07. Concerned with the water tower, we will probably get a notice of violation.
5. Water and Infrastructure Grant from 2021 – DeWine put more money toward the grant so updated request has been sent.
6. Sump pump still running at lift station. Wrong check valve was sent.

Councilman Brown stated the property at 301 E Cross needs looked at – complaint of there being 35-40 trash bags shoved in the small garage and around it.

NEWOLD BUSINESS: Motion to approve the Whistle Stop request to install a new ADA ramp into the right away on Main Street. 1. Brown, 2 Middleton. All yea.

EXECUTIVE SESSION: None

FINAL COMMENTS: None

ADJOURNMENT: At 7:30 motion by Middleton, 2nd by Brown to adjourn meeting. All yea.


TED ADKINS, MAYOR


JULIE KIMMEL, FINANCE DIRECTOR